


metos
kitchen intelligence[®]

Metos Futura & Prince Tilting Bratt Pans



www.metos.com

METOS FUTURA BRATT PAN

Metos Futura bratt pan series offers a wide range of models for versatile, efficient and ergonomic frying in every kitchen. The Metos Futura bratt pan ensures high frying efficiency, uniform heat distribution and fast heat recovery. The Metos Futura is quicker and more efficient than conventional bratt pans, especially when frying cold products. The temperature adjustment range is 0...250°C.

Metos Futura pans have a strong electrical tilting as standard. The pans are available also with manual tilting and ergonomic height adjustment 800 - 950 mm. Metos Futura pans can be supplied with food water filling by a push button.

All outer surfaces of the Metos Futura bratt pan are made of stainless steel throughout. The frying surface is 10 mm thick steel which stores heat extremely well. Optionally available with compound surface, then the 12 mm steel base is covered with 2,5 mm stainless steel surface. Uniform surfaces and compact construction make cleaning easy.

Metos Futura 85 and 110 pans can be either 90 or 180 mm deep which makes them very suitable for simmering and cooking of products.

Metos Futura 110 has two separately controlled frying zones. This feature makes it possible to fry two products requiring different frying temperatures at the same time. The other way to use the frying pan is to fry a product on one zone and use the other for temporary holding.



Futura 60



Futura 85 with manual tilting



Futura 110 with water filling tap and height adjustment

Futura	Code	Dimensions	Frying area	Volume	Electric connection	Options	Code
Futura 60L	3755404	600x806x954 mm	540x530x90 mm	25 l	400V 3N~ 7,5 kW 16A	S/S compound surface 60	3755410
Futura 85L	3755406	850x806x954 mm	790x530x90 mm	37 l	400V 3N~ 10,5 kW 16A	S/S compound surface 85	3755411
Futura 85D	3755407	850x806x954 mm	790x530x180 mm	75 l	400V 3N~ 10,5 kW 16A	S/S compound surface 100	3755412
Futura 110L	3755408	1100x806x954 mm	1040x530x90 mm	50 l	400V 3N~ 15,0 kW 25A	Manual tilting	3755413
Futura 110D	3755409	1100x806x954 mm	1040x530x180 mm	100 l	400V 3N~ 15,0 kW 25A	Height adjustment	3755415
						Water filling	3755417



METOS PRINCE BRATT PAN

Metos Prince bratt pans are permanently fixed to the floor. All Metos Prince models are fitted with electrical tilting. The pan is heated in few minutes (+200°C). The temperature is uniform throughout the whole pan area. Thermostat controlled temperature 0...250°C.

The Metos Prince bratt pan with strong electrical tilting is securely fixed to the floor. The bratt pan is easy to use. The green lamp indicates when the pan is in operation and the yellow lamp goes out when the pan is ready for use. The balanced lid is formed so that the condensation water returns into the pan.

The pan is easy to clean, since all surfaces throughout – except for the pan area – are stainless steel quality 18/8. The pan area is sandblasted steel and the corners are rounded. Optionally available with compound surface, then the 12 mm steel base is covered with 2,5 mm stanless steel surface.

The pans can be supplied with food water filling by a push button and ergonomic height adjustment 800 - 950 mm.

Maintenance from the front. The installation frame is same size as in previous Prince model so old Prince pans can easlily be replaced with this one. The new Prince can be attached to wall also.



Prince 60



Prince 85






Water filling through the lid



Prince	Code	Dimensions	Frying area	Volume	Electric connection	Options	Code
Prince 60L	3755400	600x818x960 mm	540x530x90 mm	25 l	400V 3N~ 7,5kW 16A	S/s compound surface 60	3755410
Prince 60D	3755401	600x818x960 mm	540x530x130 mm	37 l	400V 3N~ 7,5kW 16A	S/s compound surface 85	3755411
Prince 85L	3755402	850x818x960 mm	790x530x90 mm	37 l	400V 3N~ 10,5kW 16A	Height adjustment	3755414
Prince 85D	3755403	850x818x960 mm	790x530x180 mm	75 l	400V 3N~ 10,5kW 16A	Water filling	3755416



FUTURA BRATT PAN







② R3/4", optional

Metos	A	B	C	D	E
Futura 60	600	529	120	300*	225
Futura 85	850	779	200	425	225
Futura 110	1100	1029	230	550	225

* manual tilting 200 mm

PRINCE BRATT PAN



② R3/4", optional



Metos Manufacturing
 Ahjonkaarre
 FI-04220 Kerava, Finland
 Tel +358 204 3913
 international.sales@metos.com
 www.metos.com

