

Metos Proff Professional All Stainless Steel Kitchen Units



www.metos.com

PROFF ELEMENTS



Proff kitchen fixture range together with other Proff units provides a unique opportunity to raise your kitchen to a new level of hygiene and ergonomics. You can choose from the Proff standard selection or you can design a Proff unit of your own choosing.

A distinctive feature of the Proff range is the rounded design of the front edge and splash guard. Sturdy handles, made of polypropylene plastic, are easy to clean, as they can withstand all the chemicals used in the kitchen.

The standard height of the Proff tables is 900 mm, the adjustment range of the legs is + or - 25 mm. The adjustable threads of the pleasant round legs are totally hidden. The square legs are of 40x40 mm stainless steel tube. Proff fixtures are also available with a high base with 250 mm lower space. The standard splash guard in wash tables is 60 mm high. As an option, a 60-200 mm high splash guard is available.



Cupboard 400 mm or 800 mm.



made to match your need. Below the top there is a stainless support frame with efficient soundproofing.



The telescopic runners enable the drawers to be pulled out entirely.



Rails for four wash racks.



All drawers are fitted with frame for GN containers (containers not included).



Cutting board rack.

rounded edges.




Proff fixtures offer many practical details and numerous combination possiblities with refrigerated and heated Proff units.




Strainer basket, rounded construction easy to clean.



Rails for seven GN1/1-65 containers.



Base



Round waste hole with collar.



The seamless counter top is tailor-

Wheel base

PROFF STANDARD UNITS

Proff standard units include the work tops and standard elements described on these pages. The standard counter top depth is 650 mm. You can also design table units to suit your spesific need using the Proff elements.



Wall cupboard HCB-2



High cupboard FC-2

Proff low cupboards	Code	Dimensions mm
NC-400, 1 door, adjustable shelf	4205136	400x650x900
NC-800, 2 doors, adjustable shelf	4205143	800x650x900
NC-1200, 3 doors, adjustable shelf	4205168	1200x650x900
NC-1600, 4 doors, adjustable shelf	4205175	1600x650x900

Cupboard with gliding doors	Code	Dimensions mm
2 gliding doors, solid shelf	4180460	800x650x900
2 gliding doors, solid shelf	4180470	1200x650x900
Supplied with splash guard h= 60 m	m	

Proff wall cupboards

Single door	Code	Dimensions mm
HCB-1 shelf	4204245	400x320x700
HCB-1 2 shelves	4205721	400x320x900
HCB-1 3 shelves	4205739	400x320x1100
HCBS-1 extra shelf	4204277	400
HCB-1 lock	4204288	
Double door	Code	Dimensions mm
	0040	Dimensions mm
HCB-2 shelf	4204252	800x320x700
HCB-2 shelf HCB-2 2 shelves		
	4204252	800x320x700
HCB-2 2 shelves	4204252 4205746	800x320x700 800x320x900

Proff high cupboards

1 door, 4 adjustable shelves	Code	Dimensions mm
FC-1	4204943	600x600x2000
FC-1 lock	4204952	

2 doors, 4 adjustable shelves	Code	Dimensions mm
FC-2	4204925	800x600x2000
FC-2	4204932	1200x600x2000
FC-2 lock	4204949	

Corner table	Code	Dimensions mm
solid shelf	4180400	940/940x650x900
Supplied with splash guard		

Corner cupboard	Code	Dimensions mm
left hinged door, solid shelf	4180410	940/940x650x900
Supplied with splash guard		



PROFF STANDARD UNITS _

Proff work table	Code	Dimensions mm
1200 solid shelf	4180420	1200x650x900
1600 drawer D-1, solid shelf	4180430	1600x650x900
1800 D-3, CB-1, rest with solid shelf	4180500	1800x650x900
2000 cupboard CB-2, rest with solid shelf	4180480	2000x650x900
Supplied with splash guard h= 60 mm		

Proff wash table	Code	Dimensions mm
1200 basin P520, grid shelf	4180440	1200x650x900
1600 basin P520, drawer D-1, grid shelf	4180450	1600x650x900
1800 basin P520, D-3, rest with grid shelf	4180510	1800x650x900
2000 basin BE55, CB-2, rest with grid shelf	4180490	2000x650x900
Supplied with splash guard h= 60 mm		



Work table 1200, code 4180420



Work table 1600, code 4180430



Work table 2000, code 4180480



Wash table 1200, code 4180440



Wash table 1600, code 4180450



metos kitchen intelligence

Metos Manufacturing

Ahjonkaarre FI-04220 Kerava, Finland Tel +358 204 3913 international.sales@metos.com www.metos.com

